Revision: 19.03.2025

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: REAGENT CHLORIDE COL A

· Article number: 6108 A

· **UFI:** RTA1-E0TR-7007-T9MS

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU0 Other

· Product category PC21 Laboratory chemicals

· Process category PROC15 Use as laboratory reagent

· Application of the substance / the mixture reagent for analysis

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Reasol Srl

Via Giampietrino 1

I-20156 Milano

ITALY

Tel.: +39 02 33220459

· E-mail: assistenza@reasol.it

· Further information obtainable from: Quality Assurance

· 1.4 Emergency telephone number:

UK

Poisons Information Centre: (+44) 0344 892 0111 In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

IRELAND

Poisons Information Centre: (+353) 01 8092566

EU/UK emergency number: 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Version number 4 (replaces version 3) Revision: 19.03.2025 Printing date 19.03.2025

Trade name: REAGENT CHLORIDE COL A

(Contd. of page 1)

· Hazard pictograms



GHS05 GHS06

· Signal word Danger

· Hazard-determining components of labelling:

nitric acid

FERRIC NITRATE

· Hazard statements

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



GHS06

· Signal word Danger

· Hazard-determining components of labelling:

nitric acid

FERRIC NITRATE

· Hazard statements

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing P280

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

· vPvB: Not applicable.

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
	FERRIC NITRATE Ox. Sol. 2, H272; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	15-25%
EINECS: 231-714-2 Index number: 007-004-00-1	nitric acid ② Ox. Liq. 2, H272; ② Acute Tox. 1, H330; ③ Skin Corr. 1A, H314, EUH071 Specific concentration limits: Ox. Liq. 2; H272: C≥99 % Ox. Liq. 3; H272: 70 % ≤ C < 99 %	1.5-5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No dangerous decomposition products known.

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

Keep container tightly closed.

Store at 15 to 25°C and away from light.

- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 nitric acid (1.5-5%)

IOELV Short-term value: 2.6 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.6 mm

(Contd. on page 5)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level \leq 360 minuti

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odourless
Odour threshold:
Melting point/freezing point:
Liquid
Colourless
Not determined.
Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C (7732-18-5 water, distilled, conductivity or of

similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

• **pH** at **20** °C 1

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

Density and/or relative density

Density at 20 °C:
Relative density
Vapour density

1.22521 g/cm³
Not determined.
Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

• Water: 46.0 %
 • Solids content: 20.0 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void

(Contd. on page 6)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

		(Contd. of page 5)
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	ble	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Fatal if inhaled.
- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

(Contd. of page 6)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	n.a. UN1760
14.2 UN proper shipping name ADR IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances. 80 F-A,S-B (SGG1a) Strong acids

(Contd. on page 8)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL A

Stowage Code SW2 Clear of living quarters.			
14.7 Maritime transport in bulk accordin	g to IMO Not applicable.		
Transport/Additional information:	••		
ADR			
Limited quantities (LQ)	5L		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 ml		
Transport category	3		
Tunnel restriction code	E		
IMDG			
Limited quantities (LQ)	5L		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 ml		
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID		
5	8, <i>III</i>		

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

7697-37-2 | nitric acid | Limit value: >3-≤10 % | 1.5-5%

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H272 May intensify fire; oxidiser.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

(Contd. on page 9)

Version number 4 (replaces version 3) Revision: 19.03.2025 Printing date 19.03.2025

Trade name: REAGENT CHLORIDE COL A

(Contd. of page 8)

H330 Fatal if inhaled.

H335 May cause respiratory irritation. EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: Quality Assurance

· Date of previous version: 20.01.2022

· Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids – Category 2 Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 1: Acute toxicity - Category 1

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

Revision: 19.03.2025

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: REAGENT CHLORIDE COL B

· Article number: 6108 B

· UFI: DWA1-X0H4-H00Q-FN6U

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU0 Other

· Product category PC21 Laboratory chemicals

· Process category PROC15 Use as laboratory reagent

· Application of the substance / the mixture reagent for analysis

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Reasol Srl

Via Giampietrino 1

I-20156 Milano

ITALY

Tel.: +39 02 33220459

· E-mail: assistenza@reasol.it

· Further information obtainable from: Quality Assurance

· 1.4 Emergency telephone number:

UK

Poisons Information Centre: (+44) 0344 892 0111 In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

IRELAND

Poisons Information Centre: (+353) 01 8092566

EU/UK emergency number: 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)

Version number 4 (replaces version 3) Printing date 19.03.2025 Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 1)

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

mercury dithiocyanate

· Hazard statements

H302 Harmful if swallowed.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms







GHS06

GHS08

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

mercury dithiocyanate

· Hazard statements

H330 Fatal if inhaled.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-68-5	dimethyl sulfoxide	60-90%
EINECS: 200-664-3	💠 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 592-85-8	mercury dithiocyanate	1.5-5%
EINECS: 209-773-0	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; STOT RE 2, H373; Aquatic Acute 1, H400; Aquatic Chronic	
Index number: 080-004-00-7	\delta STOT RE 2, H373; 🏡 Aquatic Acute 1, H400; Aquatic Chronic	
	<i>I</i> , <i>H</i> 410	
	Specific concentration limit: STOT RE 2; H373: $C \ge 0.1 \%$	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No dangerous decomposition products known.

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 3)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

Keep container tightly closed.

Store at 15 to 25°C and away from light.

- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

592-85-8 mercury dithiocyanate (1.5-5%)

BOELV Long-term value: 0.02 mg/m³

as Hg

IOELV Long-term value: 0.02 mg/m³

as Hg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Version number 4 (replaces version 3) Printing date 19.03.2025 Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.6 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level \leq 360 minuti

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Liquid Colourless · Colour: · Odour: **Odourless** · Odour threshold: Not determined. · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 189 °C (67-68-5 dimethyl sulfoxide) · Flammability Not applicable.

Lower and upper explosion limit

· Lower: 1.8 Vol % (67-68-5 dimethyl sulfoxide) · Upper: 63 Vol % (67-68-5 dimethyl sulfoxide) · Flash point: 95 °C (67-68-5 dimethyl sulfoxide) · Auto-ignition temperature: 270 °C (67-68-5 dimethyl sulfoxide)

Not determined. · Decomposition temperature:

· pH at 20 °C

· Viscosity:

Not determined. · Kinematic viscosity Dynamic: Not determined.

·Solubility

Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined.

2.5 hPa (67-68-5 dimethyl sulfoxide) · Vapour pressure at 20 °C:

Density and/or relative density

· Density at 20 °C: 1.08511 g/cm3 · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

Product is not selfigniting. Ignition temperature:

Product does not present an explosion hazard. · Explosive properties:

· Solvent content:

90.0 % Organic solvents:

(Contd. on page 6)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

		(Contd. of page
Solids content:	4.0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	classes	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed.

Fatal if inhaled.

1 aiai ij	macc				
· LD/LC50 values relevant for classification:					
		nyl sulfoxide			
Oral	LD50	14,500 mg/kg (rat)			
592-85-	592-85-8 mercury dithiocyanate				
		46 mg/kg (rat)			
Dermal	LD50	685 mg/kg (rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 6)

- · STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste disposal key:

The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN number or ID number	n.a.
· ADR, IMDG, IATA	UN2810
· 14.2 UN proper shipping name	
· ADR	2810 TOXIC LIQUID, ORGANIC, N.O.S. (MERCUR
	THIOCYANATE), ENVIRONMENTALLY HAZARDOUS
· IMDG	TOXIC LIQUID, ORGANIC, N.O.S. (MERCUR
	THIOCYANATE), MARINE POLLUTANT
· IATA	TOXIC LIQUID, ORGANIC, N.O.S. (MERCUR
	THIOCYANATE)

- EU

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG	
(*) (* <u>Y</u> 2)	
6	
Class	6.1 Toxic substances.
Label	6.1
IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Product contains environmentally hazardous substance mercury dithiocyanate
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code): EMS Number:	60 F-A,S-A
Segregation groups	(SGG7) Heavy metals and their salts (including the
	organometallic compounds), (SGG11) mercury an
Stowaga Catagom	mercury compounds B
Stowage Category Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM.	
instruments	Not applicable.
Transport/Additional information:	
ADR	100
Limited quantities (LQ) Excepted quantities (EQ)	100 ml Code: E4
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category Transport vactivities and a	2 D/E
Tunnel restriction code	D/E
IMDG Limited quantities (LQ)	100 ml
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.
or noun negatiation .	$(MERCURY\ THIOCYANATE),\ 6.1,\ I$

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 18

· Regulation	(EU)	No	649/2012
--------------	------	----	----------

592-85-8 mercury dithiocyanate

Annex I Part 1 Annex I Part 3 Annex V Part 2

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Quality Assurance
- Date of previous version: 20.01.2022
- · Version number of previous version: 3
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)

Page 10/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 4 (replaces version 3) Revision: 19.03.2025

Trade name: REAGENT CHLORIDE COL B

(Contd. of page 9)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 1: Acute toxicity - Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* * Data compared to the previous version altered.