

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **REAGENT NITRATE A**

· Article number: 6123 A

· UFI: KGA1-E025-0007-5X9H

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU0 Other

· Product category PC21 Laboratory chemicals

· Process category PROC15 Use as laboratory reagent

· Application of the substance / the mixture reagent for analysis

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Reasol Srl

Via Giampietrino 1

I-20156 Milano

ITALY

Tel.: +39 02 33220459

· E-mail: assistenza@reasol.it

· Further information obtainable from: Quality Assurance

· 1.4 Emergency telephone number:

UK

Poisons Information Centre: (+44) 0344 892 0111

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

IRELAND

Poisons Information Centre: (+353) 01 8092566

EU / UK emergency number: 112

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1B H360FD May damage fertility. May damage the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 1)

· 2.2 Label elements**· Labelling according to Regulation (EC) No 1272/2008***The product is classified and labelled according to the CLP regulation.***· Hazard pictograms**

GHS07 GHS08 GHS09

· Signal word *Danger***· Hazard-determining components of labelling:***boric acid**sulphanilic acid**cadmium***· Hazard statements***H315 Causes skin irritation.**H319 Causes serious eye irritation.**H317 May cause an allergic skin reaction.**H341 Suspected of causing genetic defects.**H350 May cause cancer.**H360FD May damage fertility. May damage the unborn child.**H373 May cause damage to organs through prolonged or repeated exposure.**H411 Toxic to aquatic life with long lasting effects.***· Precautionary statements***P260 Do not breathe dust/fume/gas/mist/vapours/spray.**P273 Avoid release to the environment.**P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.**P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.***· Labelling of packages where the contents do not exceed 125 ml****· Hazard pictograms**

GHS07 GHS08 GHS09

· Signal word *Danger***· Hazard-determining components of labelling:***boric acid**sulphanilic acid**cadmium***· Hazard statements***H317 May cause an allergic skin reaction.**H341 Suspected of causing genetic defects.**H350 May cause cancer.**H360FD May damage fertility. May damage the unborn child.***· Precautionary statements***P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.**P405 Store locked up.**P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A







(Contd. of page 2)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|--|--|--------|
| CAS: 11113-50-1 EINECS: 234-343-4 Index number: 005-007-00-2 | boric acid  Repr. 1B, H360FD | 50-70% |
| CAS: 121-57-3 EINECS: 204-482-5 Index number: 612-014-00-X | sulphanilic acid  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | 20-35% |
| CAS: 7440-43-9 EINECS: 231-152-8 Index number: 048-002-00-0 | cadmium  Acute Tox. 3, H301; Acute Tox. 2, H330;  Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361fd; STOT RE 1, H372;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410 | 1.5-5% |
| CAS: 490-79-9 EINECS: 207-718-5 | gentisic acid  Acute Tox. 4, H302 | 1.5-5% |

· **SVHC**

| | | |
|------------|------------|--------|
| 11113-50-1 | boric acid | 50-70% |
| 7440-43-9 | cadmium | 1.5-5% |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**
No dangerous decomposition products known.
No further relevant information available.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
Keep container tightly closed.
Store at 15 to 25°C and away from light.
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

| | |
|----------------------------|---|
| 7440-43-9 cadmium (1.5-5%) | |
| BOELV | Long-term value: 0.001 (0.004)* mg/m ³ *until 11/7/2027 |

· **DNELs**

| | |
|-------------------|---|
| 7440-43-9 cadmium | |
| Inhalative | Local effects - Acute 96 mg/m ³ (Worker) |

- **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 4)

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.6 mm

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level ≤ 360 minuti

· **Eye/face protection**



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid

· **Colour:**

Grey

· **Odour:**

Odourless

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not determined.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **pH**

Mixture is non-polar/aprotic.

· **Viscosity:**

· **Kinematic viscosity**

Not applicable.

· **Dynamic:**

Not applicable.

· **Solubility**

· **water:**

Soluble.

· **Partition coefficient n-octanol/water (log value)**

Not determined.

· **Vapour pressure:**

Not applicable.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 5)

- | | |
|--|-----------------|
| · Density and/or relative density | |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapour density | Not applicable. |
| · Particle characteristics | See section 3. |
-
- | | |
|--|------------------------------|
| · 9.2 Other information | |
| · Appearance: | |
| · Form: | Solid |
| · Important information on protection of health and environment, and on safety. | |
| · Ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | Not determined. |
| · Solvent content: | |
| · Solids content: | 100.0 % |
| · Change in condition | |
| · Evaporation rate | Not applicable. |
-
- | | |
|--|------|
| · Information with regard to physical hazard classes | |
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

| | | |
|--|------|--------------------|
| · LD/LC50 values relevant for classification: | | |
| 11113-50-1 boric acid | | |
| Oral | LD50 | >2,600 mg/kg (rat) |

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 6)

| | | |
|--------------------------|----------|-----------------------|
| Dermal | LD50 | >2,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >2.03 mg/l (rat) |
| 7440-43-9 cadmium | | |
| Oral | LD50 | 225 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.5 mg/l (Worker) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Suspected of causing genetic defects.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** May damage fertility. May damage the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
- The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
- Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
- Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- Also poisonous for fish and plankton in water bodies.
- Toxic for aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:**
- The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025


Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 7)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information**

| | |
|--|---|
| · 14.1 UN number or ID number · ADR, IMDG, IATA | n.a. UN3077 |
| · 14.2 UN proper shipping name · ADR · IMDG · IATA | 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (cadmium) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (cadmium), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (cadmium) |
| · 14.3 Transport hazard class(es) · ADR, IMDG, IATA  | 9 Miscellaneous dangerous substances and articles. 9 |
| · 14.4 Packing group · ADR, IMDG, IATA | III |
| · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA): | Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) |
| · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category · Stowage Code | Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · Transport/Additional information: | |
| · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code | 5 kg Code: EI Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 (-) |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5 kg Code: EI Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g |

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 8)

· **UN "Model Regulation":**UN 3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (CADMIUM), 9, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **Seveso category E2** Hazardous to the Aquatic Environment· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 23, 28, 30, 72· **Regulation (EU) No 649/2012**

7440-43-9 cadmium

Annex I Part I

Annex I Part 2

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

7440-43-9 cadmium

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**· **Information about limitation of use:**Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.· **Other regulations, limitations and prohibitive regulations**· **Substances of very high concern (SVHC) according to REACH, Article 57**

11113-50-1 boric acid

50-70%

7440-43-9 cadmium

1.5-5%

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025

Version number 5 (replaces version 4)

Revision: 19.03.2025

Trade name: REAGENT NITRATE A

(Contd. of page 9)

- H330 Fatal if inhaled.
 H341 Suspected of causing genetic defects.
 H350 May cause cancer.
 H360FD May damage fertility. May damage the unborn child.
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Quality Assurance· **Date of previous version:** 20.01.2022· **Version number of previous version:** 4· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**

EU